



**INTERNATIONAL JOURNAL OF
PHARMACEUTICAL SCIENCES**
[ISSN: 0975-4725; CODEN(USA): IJPS00]
Journal Homepage: <https://www.ijpsjournal.com>



Review Article

Cosmeceuticals: A Critical Review on Therapeutic Skincare Hybrids, Recent Advancements, and Regulatory Paradigms

Yash Pushkar^{1*}, Sujeet Pratap Singh², Pramod Kumar Mishra³, Dr. Tarkeshwar Prasad Shukla⁴

¹ Student of Bachelor of Pharmacy, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh.

^{2,3} Assistant Professor Department of pharmaceuticals, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh.

⁴ Principal and Prof., Department of pharmaceuticals, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh.

ARTICLE INFO

Published: 27 Oct 2026

Keywords:

Cosmeceuticals, Skincare, Retinoids, Nano-delivery systems, Dermal matrix, Regulatory guidelines

DOI:

10.5281/zenodo.23685835

ABSTRACT

Cosmeceuticals represent the fastest-growing sector of the personal care industry, serving as a functional bridge between traditional cosmetics and topical therapeutics. Unlike standard cosmetics that merely alter surface appearance, cosmeceuticals incorporate biologically active substances that influence skin physiology and repair pathways. This review extensively examines the pharmacological mechanisms, classifications, and novel delivery systems that define modern cosmeceuticals. We analyze prominent ingredient categories including retinoids, botanical antioxidants, vitamins, and bioactive peptides, focusing on their roles in neutralizing reactive oxygen species, synthesizing dermal extracellular matrix, and suppressing hyperpigmentation. Additionally, the integration of advanced drug delivery mechanisms such as solid lipid nanoparticles, liposomes, and nanoemulsions is discussed as a crucial strategy for overcoming the stratum corneum barrier. Finally, we highlight the persistent challenges in international regulatory frameworks, safety screening, and clinical efficacy validation. This paper provides a comprehensive, evidence-based assessment intended to guide the engineering of next-generation, scientifically proven therapeutic skincare formulations.

INTRODUCTION

The intersection of dermatology and pharmaceutical science has given rise to a distinctive sub-discipline

***Corresponding Author:** Yash Pushkar

Address: Student of Bachelor of Pharmacy, SCPM College Of Pharmacy, Gonda 271003, Uttar Pradesh.

Email ✉: yashpushkar4@gmail.com

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.



centered on topically applied hybrids known as cosmeceuticals. Originally coined by Dr. Albert Kligman in the late 1970s, the term denotes products that possess cosmetic properties while demonstrating pharmaceutical efficacy on near-normal skin structural matrices. Unlike conventional cosmetic formulations intended strictly for surface-level embellishment and cleansing, modern cosmeceuticals act deeper within epidermal and dermal structures to treat underlying aesthetic and pathological changes, such as solar elastosis, hyperpigmentation disorders, and structural barrier breakdown.

The market demand for scientifically backed dermatology products has surged rapidly over the last several years. Driven by an aging global population and heightened consumer awareness regarding ingredient toxicity, the target emphasis has progressively shifted from synthetic vehicles to bioactive, standardized natural molecules. However, formulating these agents presents unique technical hurdles. The outermost layer of human skin, the stratum corneum, serves as a highly resilient lipophilic barrier that prevents the passive diffusion of foreign entities. Consequently, a vast number of functional active ingredients require advanced delivery vehicles to preserve chemical stability, enhance skin penetration, and elicit a meaningful tissue response without inciting localized irritation. This comprehensive review addresses the biochemical pathways, structural classifications, delivery systems, and regulatory ambiguities associated with modern cosmeceutical research.

2. MECHANISM OF ACTION IN SKIN REJUVENATION

Bioactive cosmeceutical agents interact dynamically with specialized cellular pathways to counteract the physiological manifestations of both intrinsic

(chronological) and extrinsic (environmental) cutaneous aging. The primary mechanisms of action are consistently organized around three fundamental therapeutic pathways: the neutralizing of reactive oxygen species (ROS), the up-regulation of dermal extracellular matrix pathways, and the modulation of local inflammatory cascades.

Extrinsic photoaging, which stems heavily from chronic exposure to ultraviolet (UV) radiation, accelerates the breakdown of healthy skin frameworks. UV rays induce the intracellular generation of hydroxyl radicals and singlet oxygen within keratinocytes and dermal fibroblasts. These volatile oxygen species stimulate cell-surface receptors that up-regulate Mitogen-Activated Protein Kinase (MAPK) cascades. The activation of MAPK subsequently increases the transcription factor Activator Protein-1 (AP-1), which represses pro-collagen synthesis while elevating Matrix Metalloproteinases (MMPs), specifically MMP-1 (interstitial collagenase), MMP-3 (stromelysin-1), and MMP-9 (gelatinase B). MMPs systematically fragment structural Type I and Type III collagens, leading to the clinical emergence of deep rhytides, cutaneous laxity, and micro-vascular structural weakness. Cosmeceutical antioxidants counteract this cascade by donating electrons to stabilize radicals, effectively preventing the subsequent induction of destructive MMP cascades.

3. MAJOR CLASSIFICATIONS AND FUNCTIONAL INGREDIENTS

Functional ingredients are classified into distinct biochemical segments based on their chemical composition and targeted therapeutic applications. These major groupings include retinoids, water- and lipid-soluble vitamins, hydroxy acids, and bioactive peptides.

Ingredient Category	Primary Bioactive Examples	Principal Cellular Mechanism
Retinoids	Retinol, Retinyl palmitate, Tretinoin	Binds RAR/RXR nuclear receptors; stimulates Type I collagen synthesis; increases epidermal cell turnover.
Vitamins	L-Ascorbic acid (Vit C), Tocopherol (Vit E)	Scavenges intracellular free radicals; co-factor for prolyl hydroxylase; suppresses melanogenesis.



Ingredient Category	Primary Bioactive Examples	Principal Cellular Mechanism
Hydroxy Acids	Glycolic acid (AHA), Salicylic acid (BHA)	Cleaves desmosomal junctions; induces desquamation; promotes deep follicular comedolysis.
Bioactive Peptides	Palmitoyl pentapeptide-4, Acetyl hexapeptide-8	Signals fibroblast activation via growth factor pathways; inhibits neurotransmitter release.

3.1. Retinoids

Vitamin A derivatives remain the gold standard in anti-aging therapy. Upon application, topical retinol is enzymatically oxidized into retinaldehyde, which is further converted into biologically active retinoic acid. This active form binds to specific nuclear Retinoic Acid Receptors (RAR) and Retinoid X Receptors (RXR) within skin cells. This receptor complex activates specific gene transcription sequences that speed up epidermal turnover, promote keratinocyte differentiation, and stimulate dermal fibroblasts to synthesize new structural elements. The primary adverse effect linked to potent retinoids is 'retinoid dermatitis,' characterized by erythema, burning, and localized scaling, which often requires controlled concentration adjustments.

3.2. Botanical Antioxidants and Vitamins

Vitamins C and E provide a powerful, synergistic defense system against environmental stressors. L-ascorbic acid acts as a crucial cofactor for prolyl and lysyl hydroxylase, the core enzymes responsible for stabilizing the tertiary triple-helix structure of collagen. Concurrently, it blocks tyrosinase activity by chelating copper ions, making it highly effective for treating hyperpigmentation. Vitamin E (alpha-tocopherol) protects cellular membranes from lipid peroxidation. When combined with Vitamin C, it undergoes a recycling process that significantly increases its overall stability and photoprotective action.

4. ADVANCED NANO-DELIVERY VEHICLES

To maximize the biological activity of vulnerable cosmeceutical agents, modern formulation design relies on innovative nano-delivery vehicles. Conventional emulsions frequently fall short due to the rapid oxidation of active compounds or poor skin penetration. Nanotechnology addresses these issues by isolating

sensitive ingredients from environmental degradation and enabling controlled release into deeper skin layers.

Solid Lipid Nanoparticles (SLNs) and Nanostructured Lipid Carriers (NLCs) represent a significant advance over traditional liposomal preparations. SLNs consist of a solid lipid core at room temperature that encapsulates hydrophobic actives, offering excellent stability and a natural occlusive effect that boosts skin hydration. NLCs improve on this structure by blending solid and liquid lipids to create an imperfect crystalline structure. This unique design prevents ingredient leakage during storage and permits higher drug loading capacities. Additionally, microscopic vesicular carriers like ethosomes and transfersomes incorporate skin-permeation enhancers, such as ethanol or surfactants, which temporarily disrupt the lipid bilayers of the stratum corneum to deliver active ingredients deep into the viable epidermis.

5. REGULATORY PERSPECTIVES AND CHALLENGES

Despite their widespread popularity, cosmeceuticals occupy a highly ambiguous regulatory space globally. The United States Food and Drug Administration (USFDA) officially recognizes products either as cosmetics or drugs, completely omitting a distinct legal category for cosmeceuticals. Consequently, manufacturers market these products as cosmetics to bypass rigorous, multi-phase pre-market clinical safety and efficacy trials. This approach avoids the complex approvals mandatory for pharmaceutical drugs, but it can create significant safety and clarity challenges for consumers.

This regulatory gap often leads to inconsistent product quality, inflated performance claims, and variable active ingredient concentrations across different brands. While regular cosmetics undergo basic safety reviews, cosmeceuticals lack standardized testing rules for verifying their long-term cellular effects, deep tissue



penetration, and systematic absorption . To protect consumers and foster reliable industry innovation, global regulatory bodies must collaborate to establish clear, unified standards for testing, labeling, and assessing the true efficacy of these hybrid formulations.

CONCLUSION

Cosmeceuticals have successfully transformed modern dermatology by bridging consumer aesthetic desires with advanced pharmaceutical science. Using powerful actives like retinoids, stable vitamins, and targeted peptides allows formulations to actively repair structural elements, protect against environmental stressors, and address pigment changes at a cellular level. Furthermore, integrating specialized lipid nanotechnology ensures these delicate compounds stay stable and penetrate the skin effectively. Moving forward, the industry must prioritize establishing rigorous, global regulatory standards and conducting structured clinical trials. Solidifying these validation pathways will be essential for building consumer trust and driving the scientific development of safe, highly effective therapeutic skincare systems.

REFERENCES

1. .Kligman AM. The future of cosmeceuticals: an overview. *Dermatologic Clinics*. 2000; 18 (4): 583-589.
2. .Draelos ZD. Cosmeceuticals: efficacious or hopeless marketing? *Dermatologic Therapy*. 2012; 25 (3): 229-234.
3. .Mukherjee S, Date A, Patravale V, Korting HC, Roeder A, Weindl G. Retinoids in the treatment of skin aging: an overview of clinical efficacy and safety. *Clinical Interventions in Aging*. 2006; 1 (4): 327-348.
4. .Borgia F, Scuderi G, Vaccaro M, Cannavò SP. Advanced topical drug delivery systems for the treatment of skin aging. *Pharmaceutics*. 2021; 13 (8): 1245-1258.
5. .Farris PK. Cosmeceuticals: The New Medicine of Beauty. PubMed Central PMC6188460. 2018; 11 (4): 40-47.
6. .Fisher GJ, Kang S, Varani J, Bata-Csorgo Z, Wan Y, Datta S, Voorhees JJ. Mechanisms of photoaging and chronological skin aging. *Archives of Dermatology*. 2002; 138 (11): 1462-1470.
7. .Patravale VB, Mandawgade SD. Novel cosmetic delivery systems: an application update. *International Journal of Cosmetic Science*. 2008; 30 (1): 19-33.
8. .Pardeike J, Hommoss A, Müller RH. Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*. 2009; 366 (1-2): 170-184.
9. .Abraham MS et al. Prescribing pattern of corticosteroids and cost-effective analysis in a tertiary care teaching hospital. *IJPPR.Human*. 2016; 6 (3): 67-77.
10. .Srikanth PVS, Desu PK, Reddy MR, Brahmaiah B, Nama S. Mini review on cosmeceuticals. *ResearchGate Publications*. 2015; 2 (4): 112-118.

HOW TO CITE: Yash Pushkar, Sujeet Pratap Singh, Pramod Kumar Mishra, Dr. Tarkeshwar Prasad Shukla, Cosmeceuticals: A Critical Review on Therapeutic Skincare Hybrids, Recent Advancements, and Regulatory Paradigms, *Int. J. of Pharm. Sci.*, 2026, Vol 4, Issue 10, 4214-4217. <https://doi.org/10.5281/zenodo.23685835>

