INTERNATIONAL JOURNAL OF PHARMACEUTICAL SCIENCES
[ISSN: 0975-4725; CODEN(USA): IJPS00]
Journal Homepage: https://www.ijpsjournal.com

OPEN ACCESS

Review Article

Green Synthetic Routes for Active Pharmaceutical Ingredients (APIs): A Comprehensive Review Recent Advances, Sustainable Methodologies, and Industrial Applications in Pharmaceutical Chemistry

Prakash Sahu*, Dr. Maninder Kaur, Govind Yadav, Varsha Singh, Smita Patel, Sanjay Kumar Gautam

GSRM Memorial College of Pharmacy.

ARTICLE INFO

Published: 18 Nov 2026
Keywords:
Green Chemistry, Active Pharmaceutical Ingredients, Atom Economy, Biocatalysis, Microwave-Assisted Synthesis, Eco-Friendly Solvents, Environmental Factor
DOI:
10.5281/zenodo.24333967

ABSTRACT

Sustainable manufacturing in medicinal chemistry requires replacing hazardous, waste-heavy chemical processes with eco-friendly alternatives. Traditional active pharmaceutical ingredient (API) production frequently yields high Environmental Factors (E-factors) due to stoichiometric reagents, petroleum-derived organic solvents, and excessive energy consumption. Sustainable synthetic methodologies offer actionable solutions by implementing benign reaction solvents, energy-efficient catalytic systems, sonochemical activation, microwave heating, and tailored biocatalysts. This review critically evaluates contemporary green pathways used in active pharmaceutical ingredient synthesis, highlighting atom economy metrics, ecological benefits, catalytic efficiencies, and practical implementation limits across scalable industrial setups.

***Corresponding Author:** Prakash Sahu
Address: GSRM Memorial College of Pharmacy
Email ✉: Prakashsahu42@gmail.com

Relevant conflicts of interest/financial disclosures: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

INTRODUCTION

Synthesizing pharmaceutical compounds demands exceptionally high structural precision, regio-selectivity, and absolute enantiomeric purity. Historically, reaching these target quality standards relied heavily on volatile organic solvents, heavy-metal catalysts, and multi-step protection strategies. Consequently, active pharmaceutical ingredient (API) production has generated disproportionately high Environmental Factors (E-factors, measured as kilograms of waste per kilogram of finalized drug product) compared to generic chemical sectors.Fundamental Paradigms: To resolve these sustainability hurdles, Anastas and Warner established foundational guidelines that prioritize waste elimination at the chemical design stage. Within active pharmaceutical synthesis, key priorities include:

- **Maximized Atom Economy:** Structuring synthetic pathways so that the majority of starting reactant mass is retained within the desired API matrix.
- **Hazard Mitigation:** Replacing corrosive, bioaccumulative, or toxic reagents with environmentally benign chemical alternatives.
- **Sustainable Solvent Systems:** Phasing out chlorinated or aromatic organic solvents in favor of aqueous media, bio-derived liquids, or solvent-free conditions.
- **Energy-Conscious Processing:** Leveraging sonochemical cavitation, microwave irradiation, or room-temperature catalytic reactions to reduce energy consumption.

2. Green Reaction Media: Bio-Based & Aqueous Alternatives

Solvents frequently represent over 80% of total chemical mass utilized in batch pharmaceutical operations. Substituting hazardous volatile organic compounds (VOCs) like dimethylformamide (DMF) or dichloromethane (DCM) is essential for developing sustainable API manufacturing routes.

2.1 Aqueous Media & On-Water Catalysis

Water serves as an ideal reaction solvent due to its non-flammability, low cost, abundance, and safety. Furthermore, specialized 'on-water' reactions utilize hydrophobic interfacial effects to accelerate bimolecular condensations and cycloadditions through extensive hydrogen bonding network formation.

2.2 Renewable Bio-Derived Solvents & Deep Eutectic Media

Plant-derived alternative solvents—including 2-methyltetrahydrofuran (2-MeTHF), ethyl lactate, and cyclopentyl methyl ether (CPME)—offer excellent performance profiles for extraction and organic transformations. Additionally, Deep Eutectic Solvents (DES) provide thermal stability, tunable solubility, and negligible vapor pressure.

3. Advanced Non-Conventional Energy Modalities

Thermal management plays a fundamental role in minimizing carbon emissions across pharmaceutical synthesis lines.

3.1 Microwave-Assisted Organic Synthesis (MAOS)

MAOS operates through direct electromagnetic coupling with dipolar compounds within the reaction vessel. This mechanism ensures rapid, localized dielectric heating, drastically cutting processing durations from hours to minutes while reducing unwanted side reactions.

3.2 Ultrasound-Driven Sonochemistry

Sonochemical processing utilizes acoustic cavitation—the formation, expansion, and violent collapse of microscopic gas bubbles in liquid solutions. This generates localized high-temperature hotspots and high-pressure micro-jets, accelerating reaction kinetics and mass transfer efficiency.

4. Biocatalytic Strategies & Enzymatic Transformations

Enzymatic transformations supply unparalleled chemo-, regio-, and enantioselectivity. Modern biocatalysts—such as ketoreductases (KREDs), transaminases (ATAs), and monoamine oxidases (MAOs)—

permit single-step asymmetric transformations without functional group protection.

5. Comparative Evaluation: Legacy vs. Sustainable API Pathways

The table below details procedural differences between classical manufacturing methods and updated sustainable alternatives across key commercial APIs:

Target API	Legacy Synthesis Drawbacks	Sustainable Synthetic Strategy	Key Green Advantages
Ibuprofen	Boot route (6 synthetic steps, heavy reagent consumption, high waste output)	BHC catalytic route (3-step process using catalytic hydrogenation)	Near 99% atom economy, drastically lowered E-factor
Paracetamol	Nitration of phenol via corrosive HNO3/H2SO4 mixtures with waste byproducts	Direct acylation over zeolite catalysts or biocatalytic hydroxylation	High isomer selectivity, eliminated corrosive acid streams
Sitagliptin	Multi-step metal reduction requiring high-pressure rhodium catalysts	Engineered transaminase biocatalytic transformation	10-15% yield gain, eliminated heavy-metal contamination risk
Sildenafil	Multi-pot thermal heating steps with high dichloromethane consumption	One-pot continuous reaction utilizing ethyl acetate/aqueous media	50% waste reduction, complete toxic solvent elimination

6. Commercial Challenges, Future Outlook, & Conclusion

Despite significant laboratory successes, commercial scaling of green chemistries faces challenges: strict regulatory re-validation procedures for altered API routes, upfront capital investments for continuous-flow or microwave reactors, and operational enzyme stability under industrial scale conditions.

Integrating Quality by Design (QbD) methodologies, microfluidic continuous-flow platforms, and machine-learning retro-synthetic algorithms will help make eco-friendly API manufacturing standard practice.

CONCLUSION:

In conclusion, implementing sustainable synthetic routes is essential for both environmental safety and long-term cost efficiency in modern pharmaceutical development.

REFERENCES

1. Anastas, P. T., & Warner, J. C. (1998). Green Chemistry: Theory and Practice. Oxford University Press.
2. Sheldon, R. A. (2017). The E factor 25 years on: the impact of green chemistry and white biotechnology on cleaner production. Green Chemistry, 19 (18), 4299-4311.
3. Constable, D. J., et al. (2007). Key green chemistry research areas—a perspective from pharmaceutical manufacturers. Green Chemistry, 9 (5), 411-420.
4. Patel, R. N. (2018). Biocatalysis: Synthesis of key intermediates for development of pharmaceuticals. ACS Catalysis, 8 (5), 4364-4381.
5. De la Hoz, A., & Loupy, A. (Eds.). (2016). Microwaves in Organic Synthesis. John Wiley & Sons.

HOW TO CITE: Prakash Sahu, Dr. Maninder Kaur, Govind Yadav, Varsha Singh, Smita Patel, Sanjay Kumar Gautam, Green Synthetic Routes for Active Pharmaceutical Ingredients (APIs): A Comprehensive Review Recent Advances, Sustainable Methodologies, and Industrial Applications in Pharmaceutical Chemistry, Int. J. of Pharm. Sci., 2026, Vol 4, Issue 11, 2987-2989. https://doi.org/10.5281/zenodo.24333967